

**Series 2, Built-in fridge with freezer section, 177.5 x 56 cm, sliding hinge KIL82NSE0G**



**The built-in fridge with extra-large \*\*\*\* freezer compartment, Multi Box XXL drawer for fruit and vegetables and Door Alarm provides ideal storage.**

- **LED lighting:** all your items in perfect view.
- **Super Cool function:** cools new food faster, to protect what is already inside.
- **Safety Glass Shelves:** safely store food in your fridge with stable, shatterproof glass shelves.

**Technical Data**

Energy Efficiency Class: ..... E  
 Average annual energy consumption in kilowatt hour per year (kWh/a): ..... 177 kWh/annum  
 Sum of volume of frozen compartments: ..... 34 l  
 Sum of volume of chill compartments: ..... 246 l  
 Airborne acoustical noise emissions : .....35 dB(A) re 1 pW  
 Airborne acoustical noise emission class: .....B  
 Built-in / Free-standing: ..... Built-in  
 Door panel options: ..... Not possible  
 Height: ..... 1772 mm  
 Width of the appliance: ..... 541 mm  
 Depth: ..... 548 mm  
 Min. required niche size for installation (HxWxD): 1775.0 x 560 x 550 mm  
 Net weight: ..... 54.6 kg  
 Fuse protection: ..... 10 A  
 Door hinge: ..... Right reversible  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50 Hz  
 Length electrical supply cord: ..... 230.0 cm  
 Number of compressors: ..... 1  
 Number of independent cooling systems: ..... 1  
 Interior ventilator: ..... Yes  
 Reversible Door Hinge: ..... Yes  
 Number of Adjustable Shelves in fridge compartment: ..... 4  
 Shelves for Bottles: ..... No  
 EAN code: ..... 4242005386635  
 Brand: ..... Bosch  
 Product name / Commercial code: ..... KIL82NSE0G  
 Product category: ..... Refrigerator  
 Frost free system: ..... No  
 Installation typology: ..... Integrated  
 Included accessories: ..... 3 x egg tray, 1 x ice cube tray

**Included accessories**

3 x egg tray, 1 x ice cube tray

**Optional accessories**

KSZB6R00 Bottle Rack  
 KSZGGM00 Butter box



## Series 2, Built-in fridge with freezer section, 177.5 x 56 cm, sliding hinge KIL82NSE0G

**The built-in fridge with extra-large \*\*\*\* freezer compartment, Multi Box XXL drawer for fruit and vegetables and Door Alarm provides ideal storage.**

- 3 x egg tray, 1 x ice cube tray

### Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

### Design features

### Dimension and installation

### Additional features

- Sliding hinge, softClosing door: No

### Performance and Consumption

- EU19\_EEK\_D: E
- Total Volume : 280 l
- Annual Energy Consumption: 177 kWh/a
- Noise Level : 35 dB , EU19\_Noise emission class\_D: B

### Functions

- Bright interior LED fridge light in fridge section
- Built-in fridge

### Design features

- NO\_FROST\_NEU\_BL, never have to defrost ever again
- EU19\_Fast freezer facility\_D
- LED electronic control
- 1 compressor
- Super Cooling: automatic deactivation
- Optical and accoustical
- Automatic defrost fridge

### Design features

- Net Fridge Volume : 246 l
- 6 safety glass shelves in fridge compartment of which 4 are height adjustable
- 5 door bins

### Freshness System

- 2 MultiBox drawers

### Food freshness system

- Net Freezer Volume : 34 l
- Freezing capacity 24h : 2.5 kg
- Temperature rise time : EU19\_Temperature rise time\_D: 18 H
- Ice box
- Ice cube tray
- 1 hinged freezer compartment
- none

### Dimension and installation


- Dimensions: 177.2 cm H x 54.1 cm W x 54.8 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D

### Key features - Fridge section


- Right hinged door, door reversible
- Height adjustable front feet
- Length of power cord:230 cm
- Climate Class: SN-ST
- 220 - 240 V

### Key features - Freezer section



**Series 2, Built-in fridge with freezer section, 177.5 x 56 cm, sliding hinge KIL82NSE0G**




Measurements in mm




Measurements in mm



measurements in mm



measurements in mm  
Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.