

PM3743D

Hob, Aesthetics: Classic, Mixed, 70/75 cm, Built-in: Ultra-low profile

CERAMIC GLASS

Ceramic glass is able to withstand heat above 800°C so it is extremely robust and durable. Composed of a single glass plate measuring only 4 to 8mm, this type of glass is resistant to impact and wear.



TYPE

Product Family: Hob • Dimensions: 70/75 cm • Type: Mixed • Built-in: Ultra-low profile • Power supply: Mixed • EAN code: 8017709290252

AESTHETICS

Colour: Black • Finishing: Glass • Aesthetics: Classic • Material: Glass • Glass Type: Eclipse ceramic • Controls colour: Steel effect • Type of control setting: Control knobs • Control knobs position: Front • No. of controls: 2 • Slider: Yes • Glass edge: Straight edge • Glass on Steel: Yes • Pan stands: Cast iron • Burners: Smeg Contemporary • Burners Material: Brass • Serigraphy colour: Grey

PROGRAMS / FUNCTIONS

Total no. of cook zones: 4 • No. of gas cook zones: 2 • No. of induction cook zones: 2 • Time-setting options: Automatic switch-off • No. of cooking zones with booster: 2 • No. of Flexible zones: 1 • Main on/off switch: Yes • Power levels: 9

OPTIONS

Standard cut out: 482-486x719-724 mm • Multizone Option: Yes • Flexible Zone Type: MultiZone • End cooking timer: 2 • Pause option: Yes • Minute minder: 1 • End of cooking acoustic alarm: Yes • Residual time indicator: Yes • Limited Power Consumption Mode: Yes advance • Limited Power Consumption Mode in W: 2100 a 3700 - step 100 W • Show Room Demo Option: Yes • Grill function: Yes • Control Lock / Child Safety: Yes • Keep warm automatic function: Yes • Bridge option: Yes • Quick start: Yes • Rapid level selection: Yes

COOKING ZONES

1st zone position: Front left • 2nd zone position: Rear left • 3rd zone position: Rear right • 4th zone position: Front right • 1st zone type: Gas - AUX • 2nd zone type: Gas - UR • 3rd zone type: Induction - Multizone • 4th zone type: Induction - multizone • 3rd zone dimensions: 24.0x18.0 cm • 4th zone dimensions: 24.0x18.0 cm • Right Multizone dimension: 38.5x23.0 cm • 1st zone power: 1.10 kW • 2nd zone power: 3.30 kW • 3rd zone power: 2.10 kW • 4th zone power: 2.10 kW • Power double booster 3° zone: 3.00 kW • Power double booster 4° zone: 3.00 kW • 3rd zone booster power: 2.50 kW • 4th zone booster power: 2.50 kW • Booster power right Multizone: 3.60 kW

TECHNICAL FEATURES

Gas Type: G20/G25 natural gas • Automatic setting according to pan dimension: Yes • Permanent Automatic Pot Detection with indication of the relative control: Yes • Automatic pan detection: Yes • Gas safety valves: Yes • Automatic Ignition: Yes • Automatic switch off when overheat: Yes • Automatic switch off when overflow: Yes • Residual heat indicator: Yes • Protection against accidental start up: Yes

PERFORMANCE / ENERGY LABEL

Energy consumption zone 3: 191 Wh/Kg • Energy consumption zone 4: 195 Wh/Kg

ELECTRICAL CONNECTION

Gas connection rating (W): 4300 W • Nominal power (W): 3700 W • Voltage (V): 220-240 V • Voltage 2 (V): 380-415 V • Frequency (Hz): 50/60 Hz • Type of electric cable: Single phase • Power supply cable length: 120 cm

ALSO AVAILABLE

LOGISTIC INFORMATION

Dimensions of the product (mm): 45x750x510 • Depth (mm): 510 mm • Width (mm): 750 mm • Product Height (mm): 45 mm • Net weight (kg): 15.100 kg

ACCESSORIES INCLUDED

Cast iron wok support: 1 Other gas nozzles included: G30 GPL Liquid gas Other gas connections provided: Conical

OPTIONAL

GRILLPLATE: Griddle, Cookers, HobsTPKPLATE: Griddle, Cookers, HobsLGCN: Connecting strip, Hobs



