

# TR62IBL2

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven EAN code Energy efficiency class Energy efficiency class, second cavity 60x60 cm 2 Electric Induction Thermo-ventilated Static 8017709309541 A A




### Aesthetics

Aesthetics	Victoria	Display	electronic 5 buttons
Colour	Black	Colour of buttons	Black
Finishing	Glossy Black	No. of controls	6
Design	Victoria	Serigraphy colour	Silver
Door	With frame	Handle	Smeg Victoria
Upstand	Yes	Handle Colour	Brushed stainless stee
Hob colour	Black enamel	Glass type	Black
Command panel finish	Enamelled metal	Plinth	Anthracite
Control knobs	Smeg Victoria	Logo	assembled 50's
Controls colour	Stainless steel	Logo position	Upstand

### **Programs / Functions**

No. of cooking functions Traditional cooking functions		4	
Static	Small grill		Large grill
Base			
Hob technical features			





Front left - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Rear left - Induction - single - 1.20 kW - Booster 1.40 kW - - Ø 16.0 cm Rear right - Induction - giant - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm Front right - Induction - single - 1.20 kW - Booster 1.40 kW - - Ø 16.0 cm

No. of cooking zones4Minimum pan diameterYeswith BoosterindicationindicationAutomatic switch offYesSelected zone indicatorYeswhen overheatResidual heat indicatorYesAutomatic panYesYesdetectionYesYes

### Main Oven Technical Features

💷 🚊 🤞 💭			
No. of lights	1	Removable door	Yes
Fan number	1	Full glass inner door	Yes
Net volume of the cavity	61 litres	Removable inner door	Yes
Gross volume, 1st cavity	701	Total no. of door glasses	3
Cavity material	Easy clean enamel	No.of thermo-reflective	1
Shelf positions	4	door glasses	
Type of shelves	Metal racks	Safety Thermostat	Yes
Light type	Halogen	Cooling system	Tangential
Light power	40 W	Usable cavity space	316x460x412 mm
Cooking time setting	Start and Stop	dimensions (HxWxD)	
Door opening	Flap down	Temperature control	Electro-mechanical
3		Circular heating element - Power	2700 W

### **Options Main Oven**

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic alarm	Yes	Maximum temperature	245 °C

### Second Oven Technical Features

35K 📃 🚑			
Net volume of the	35 litres	No. total door glasses	3
second cavity		No. thermo-reflective	1
Gross volume, 2nd	41	door glasses	
cavity		Safety Thermostat	Yes
Cavity material	Easy clean enamel	Cooling system	Tangential
Shelf positions	2	Usable cavity space	169x440x443 mm
Type of shelves	Metal racks	dimensions (HxWxD)	
No. of lights	1	Temperature control	Electro-mechanical
Light type	Halogen	Lower heating element -	1200 W
Light power	40 W	power	
Door opening	Flap down	Upper heating element -	1000 W
Removable door	Yes	Power	



Full glass inner door	Yes	Grill element - power	1700 W
Removable inner door	Yes	Large grill - Power	2700 W
		Grill type	Electric
		Tilting grill	Yes

### **Options Auxiliary Oven**

E

Minimum Temperature	50 °C	Maximum temperature	245 °C	

### Accessories included for Main Oven & Hob

Rack with back and side	2	Grill mesh	1
stop		Telescopic Guide rails,	1
40mm deep tray	1	total Extraction	


### Accessories included for Secondary Oven

Rack with back and side stop	1	Grill mesh	1
40mm deep tray	1		

### **Electrical Connection**

Nominal power	12700 W	Frequency	50/60 Hz
Current	38 A	Cable testing	Yes
Voltage	220-240 V	Terminal block	5 poles
Voltage 2 (V)	380-415 V		







### Not included accessories



#### KIT1TR6N

Splashback, 60x75 cm suitable for 60 cm Victoria cookers, black



#### SFLK1

Child lock



### PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



#### GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm



#### AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

#### GTP

\*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished



#### BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid

#### KITH60

Height extension kit (950 mm), suitable for TR60 cookers



BN620-1 Enamelled tray, 20mm deep



#### GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



#### **TPKPLATE**


Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



#### SCRP

Induction and ceramic hobs and teppanyaki scraper

#### BBQ



#### PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



#### GTT



\*\*Totally extractable telescopic guides (1 level)\*\* Extraction: 433 mm Material: Stainless steel AISI 430 polished



#### BN640

Enamelled tray, 40mm deep



### SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



## Symbols glossary

P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.	ს	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
A	A: Product drying performance, measured from A+++ to D / G depending on the product family	<u></u>	Air cooling system: to ensure a safe surface temperatures.
3	Triple glazed doors: Number of glazed doors.	logic	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	$\bigcirc$	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
	Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.	·,	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
***	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.		Giant zone: The giant zone offers extra space and flexibility.
STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.	ۋi ا	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.	H	The inner door glass: can be removed with a few quick movements for cleaning.
ő	Side lights: Two opposing side lights increase visibility inside the oven.	<b>}-1</b>	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
.2	The oven cavity has 2 different cooking levels.	.4	The oven cavity has 4 different cooking levels.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.	\$.	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
¢	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.	35 lt	The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.