

TR62P

Cooker size 60x60 cm

N. of cavities with energy label

Cavity heat source Electric
Hob type Gas

Type of main oven Thermo-ventilated

Type of second oven Static

EAN code 8017709210632

Energy efficiency class A
Energy efficiency class, second cavity A



Aesthetics

Aesthetics Victoria Display electronic 5 buttons

2

ColourCreamColour of buttonsBlackDesignVictoriaNo. of controls6DoorWith frameSerigraphy colourBlack

Upstand Yes Handle Smeg Victoria

Type of pan stands Cast Iron Handle Colour Brushed stainless steel

Hob colour Black enamel Black Glass type Command panel finish **Enamelled metal** Plinth Anthracite Control knobs Smeg Victoria Logo assembled 50's Controls colour Stainless steel Upstand Logo position

Programs / Functions

No. of cooking functions

Traditional cooking functions

Small grill

Large aril		Larae	aril
------------	--	-------	------

Base

Hob technical features



SMEG SPA 12/05/2023



Total no. of cook zones 4

Front left - Gas - 2UR (dual) - 4.20 kW Rear left - Gas - Semi Rapid - 1.80 kW Rear right - Gas - Semi Rapid - 1.80 kW

Front right - Gas - AUX - 1.00 kW

Type of gas burners Standard

Automatic electronic Yes

ignition

Gas safety valves Yes

Burner caps Matt black enamelled

Main Oven Technical Features















No. of lights

Net volume of the cavity 61 litres Gross volume, 1st cavity 70 l

Cavity material Easy clean enamel

Shelf positions

Metal racks Type of shelves Halogen Light type 40 W Light power

Cooking time setting

Start and Stop

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 2 No.of thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system Tangential

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

1

Yes

Tangential

1700 W

2700 W

Electric

Yes

169x440x443 mm

Electro-mechanical

316x460x412 mm

Circular heating element 2700 W

- Power

Options Main Oven

Timer Yes Minimum Temperature 50 °C Maximum temperature 245 °C End of cooking acoustic Yes

alarm

Second Oven Technical Features





















Net volume of the second cavity

Gross volume, 2nd 41 I

cavity

Cavity material

Shelf positions

Type of shelves

No. of lights Light type

Light power Removable door Full glass inner door Removable inner door No. total door glasses 35 litres



Easy clean enamel

Metal racks

Halogen

40 W

Yes

Yes

Yes

2







No. thermo-reflective door glasses

Safety Thermostat Cooling system

Usable cavity space

dimensions (HxWxD) Temperature control

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power

Grill element - power Large grill - Power Grill type Tilting grill

SMEG SPA 12/05/2023



Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Accessories included for Main Oven & Hob



Moka stand 1 Grill mesh 1
Rack with back and side 2 Telescopic Guide rails, 1
stop partial Extraction

40mm deep tray 1

Accessories included for Secondary Oven


Rack with back and side 1 Grill mesh

stop

40mm deep tray 1

Electrical Connection

Nominal power5500 WFrequency50/60 HzCurrent24 APower supply cable
length120 cmVoltage220-240 VlengthVoltage 2 (V)380-415 VTerminal block5 poles



SMEG SPA 12/05/2023



Not included accessories



KIT1TR6N

Splashback, 60x75 cm suitable for 60 cm Victoria cookers, black



TPKTR9

Teppanyaki grill plate for Victoria TR9 and Symphony cookers



AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1

Child lock



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



BGTR9

Cast iron grill plate suitable for 90 cm Victoria, 60 and 90cm Master and Symphony cookers



KITH60

Height extension kit (950 mm), suitable for TR60 cookers



BN620-1

Enamelled tray, 20mm deep



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



BN640

Enamelled tray, 40mm deep



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

SMEG SPA 12/05/2023



space in the oven cavity in litres.

Symbols glossary

A	A: Product drying performance, measured from A+++ to D / G depending on the product family	***	Heavy duty cast iron pan stands: for maximum stability and strength.
	Air cooling system: to ensure a safe surface temperatures.	2 2	Double glazed doors: Number of glazed doors.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.		Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
	Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.	~~	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
***	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.		All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
B	The inner door glass: can be removed with a few quick movements for cleaning.	Ö	Side lights: Two opposing side lights increase visibility inside the oven.
.2	The oven cavity has 2 different cooking levels.	.4	The oven cavity has 4 different cooking levels.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.	٥٢	Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.	UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.
35 It	The capacity indicates the amount of usable	61 lt	The capacity indicates the amount of usable

SMEG SPA 12/05/2023

space in the oven cavity in litres.